

SO : 1000982365



Sold To: 0010851640



BARMIL LTD, 69 Gissin Avshalom,  
Petach Tiqwa, Israel



Boeing Distribution Services, Inc.  
3760 W 108th Street  
HIALEAH FL 33018

Delivery : 7300856896



Ship To: 9000007674



BARMIL LTD, 69 Gissin St, Petach  
Tiqwa, Israel

## Certificate of Conformity

PO : 251558



Document Creation Date: 13-Nov-2025

Page 1 of 1

Item No.	Part Number and Description	Quantity	Unit
000010	<div>NAS1149C0632R</div> <div></div> <div>Flat</div> <div>Customer Reference 251558</div> <div></div> <div>NAS1149C0632R</div> <div>WASHER, FLAT</div> <div>Remark :</div> <div>Batch : 2025FM6N8T      Manufacturer Name : MOELLER MANUFACTURING</div> <div>MFR Lot : 1196849</div> <div></div> <div>Revision :</div> <div>Exp Date :      Cage Code : 58009      COO : USA</div>	4,200	EA
Total		4,200	EA

Shipped From : 3760, W 108th St, Hialeah Gardens, FL, 33018

**CERTIFICATION STATEMENT:** We hereby declare, barring exceptions, reservations, or exemptions listed in this statement of conformity, that the listed items comply with the contract requirements and that, after completion of verification, and based on the aforesaid, as well as the representation made to us by manufacturers of the items subject of such purchase order, they completely satisfy all specified purchase order requirements, and applicable standards and regulations. Said items are in new condition and have not been obtained from any US Government or Military source and are traceable to Boeing Distribution Services. Document electronically generated and validated. The Delivery Number is the Certificate Number.

Michelle Suggs  
Quality Director



630 E. LAMBERT ROAD / BREA, CA 92821 / (714)999-5551

# Certificate of Conformance

**PACKING LIST**  
SHIPPER  
**2339581**

No. Cartons:	38
Weight:	1057.97
Customer No:	201560
Our Order:	1923279 SO
Date Order:	5/29/2025
Customer P.O. No:	00YP746
Ship Via:	Fed Ex Ground CB

## Bill To:

BOEING DISTRIBUTION SERVICES  
3760 W 108TH ST DOOR B  
MIAMI FL 33018  
USA

## Ship To:

BOEING DISTRIBUTION SERVICES  
3760 W 108TH ST DOOR B  
MIAMI FL 33018  
USA

## Shipping Instructions:

FOB:Free On Board - Origin

Total Quantity  
Shipped:

567069

Line	Quantity Order	Item Number	Description	Requested Date Promised Ship Date	Quantity Shipped
1.000	567069	MWF06627-6P	<p>NAS1149C0632R REV 7 .625+.020-.005 .390+.010 REV: 8 Lot: 1196649 AN960C616L</p> <p>Seller hereby acknowledges that the parts and/or materials being shipped under this order are intended for use under Boeing's Federal Aviation Administration (FAA) issued Production Certificate 700 and no articles (or constituent parts thereof) or the accompanying paperwork (e.g., packages, shippers, etc.) contain any Federal Aviation Administration-Parts Manufacturer Approval (FAA-PMA) markings.</p> <p>LINE 1.00 CHEMICAL &amp; PHYSICAL CERTS AND C OF C REQUIRED /QAP 33.0 CLAUSES: REACH, A.A.1,B,C,E,F,H,P,U,V/QAP 33.0 REV.S 08-11-2023 CLAUSE A.3 GENERAL / LATEST REVISION REQD. /Mercury-Free certification to be sent with shipment. SUPPLIER HAS BEEN GRANTED INSPECTION DELEGATION AUTHORITY / The appropriate priority rating is: DO-A1. This is a rated order certified for national defense use, and you are required to follow all the provisions of the Defense Priorities and Allocations System Regulation (15CFR 700) REF: 15 CFR 700.12 (d).</p>	<p>5/29/2025 7/23/2025</p>	567069

We Hereby certify the referenced order(s) conform to the requirements of the applicable drawings, standards and specifications. Evidence of compliance is retained on file.

*Wayne Drysol*  
Wayne Drysol  
Q.A. Director  
MANUFACTURED IN U.S.A.



630 E. Lambert Road, Brea, CA 92821

## CERTIFICATE OF CONFORMANCE

Lot Number:	1196849
Moeller Part Number:	MWF06627-6P
Customer Part Number:	NAS1149C0632R
Revision:	8
Lot Quantity:	567069

The following material or process was used by Moeller Manufacturing and Supply, LLC  
or our subcontractors in the manufacture of the parts.

Outside Process	PO Number
Material:	1175458
Finish:	1204451



SOLD TO: MOELLER MFG & SUPPLY  
430 E. LAMBERT ROAD  
BREA, CA 92821  
(714) 990-4121

**TERMS: net 30**

DATE CERTIFIED:	DATE RECEIVED:	DATE TESTED:	CUSTOMER P.O.	PACKAGING METHOD
12-12-2022	12-09-2022	12-12-2022	1204451	
QUANTITY	PART NO.	DESCRIPTION	UNIT	AMOUNT
581100 1072#	MWF06627-6P WASHER	PASS HIGH HUMIDITY		
	NAS1147C0632R REV 7 J/N# 1196849			
	High Humidity 13 pcs Acc: 13 Rej: 0			
	24 HOURS HIGH HUMIDITY TEST			
MATERIAL / HEAT TREAT / STATUS OF PARTS				TOTAL

PASSIVATE AMS2700F METHOD 1 CLASS 1/Type VII

Other

## MAGNETIC SPECIFICATIONS

### Acceptance Criteria

[illegible]

Reason Rejected

### FLUORESCENT PENETRANT SPECIFICATIONS

### Acceptance Criteria

[illegible]

Reason Rejected

QC NDT Level 2: REYES HERNANDEZ

This test certification shall not be reproduced except in full. This certification shall not be used by the customer to claim product endorsement by any agency of the U.S. government. Active Magnetic Inspection certifies that the product shipped on the above certification was processed, inspected & tested in compliance with all applicable prints & specifications. All supporting documentation is on file at Active Magnetic Inspection.

**CERTIFICATION / TEST / REPORT**



# Packing List

Packing List  
Shipment Dt

208599-1  
4/28/2022

Ship-To  
Moeller Mfg. & Supply, Inc.  
1409 E Orangethorpe Ave  
Fullerton, CA 92831

## Issued from

United Performance Metals, Ohio Facility  
3475 Symmes Road  
Hamilton, OH 45015-1363

## Sold-To

Moeller Mfg. & Supply, Inc.  
630 E Lambert Road  
Brea, CA 92821

Lot # 105182

Divy Mthd  
Carrier  
Item  
Our Order

Our Carrier  
EXLA Kingsgate ESTES

Product

Your PO

Delivery

1175458 (4/19/2022)

Prepaid

To  
Ref

Vehicle No 50  
Trailer No

Part No M-300S-S-0.032X3.000-0

2-1 STAINLESS 302/304- COIL #3 Edge  
0.0320" Nom x 3"

AMS 5513 Rev.K  
AMS 5516 rev. R

Location  
CSHFL2  
CSHFL2  
CPH305

Mill  
N.A. STAINLESS  
N.A. STAINLESS  
N.A. STAINLESS

Heat  
T11R  
T11R  
T11R

Tag  
66215C  
66215E  
66215L

Lift  
CPC-522125  
CPC-522179  
CPC-522181

Pcs	LBS
6	1,540
5	2,184
5	2,191
<b>Total</b>	<b>5,915</b>

Shp MI Certificate  
1 0 Mill Cert

## Total Packages for the Shipment

Package Type: CRATE BOX PALLET - 28" to 34" (CPC-522125)  
CRATE BOX PALLET - 28" to 34" (CPC-522179)  
CRATE BOX PALLET - 28" to 34" (CPC-522181)

Gross	Tare	Net(LBS)
1,688	148	1,540
2,332	148	2,184
2,339	148	2,191
<b>6,359</b>	<b>444</b>	<b>5,915</b>

Taken-by Slp Kyle Lunsford

(513) 860-6500

For EXPORT shipments, UNITED PERFORMANCE METALS utilizes packaging materials, including finished pallets, skids, and boxes that are fabricated in accordance with the guidelines set forth by the International Lumber Committees ISPM 15, which is the standard that regulates wood packaging used in international trade. All lumber used in United Performance Metals export packaging has been heat treated per the ISPM 15 standard.

Each of our sources of supply for our packaging products used for export have supplied us with a signed letter stating conformance to the International Lumber Committee ISPM 15 requirements. These conformance letters are retained on file at United Performance Metals and are also accessible on our website at [www.upmet.com](http://www.upmet.com). If further assistance is needed in regards to certification of our packaging per ISPM 15, please contact our Traffic Department or Compliance Manager at 513-860-6500.

Our sources of supply are monitored as required by per the ISPM 15 regulation. United Performance Metals monitors the regulation for any changes in regulations and will inform customers of any changes that would impact conformance.



Quality Solutions. Trusted Partners.

Warehouse Copy

4/28/2022 08:18 AM 1



**UNITED**  
**PERFORMANCE METALS**  
AN ONI COMPANY

## Packing List

Packing List  
Shipment Dt

208599-1  
4/28/2022

### Certificate of Conformance and Authenticity

United Performance Metals (UPM) hereby declares and certifies barring previously approved exceptions, reservations, exemptions, or as detailed within this document, that the product supplied regarding the referenced purchase order conforms and complies with stated as-ordered purchase order requirements inclusive of any and all drawings, specifications, regulatory and statutory requirements. Material is traceable to Heat/Lot number and grain direction orientation (if requirement specified) through receipt from production through delivery to purchaser. The product has been processed within the scope of UPM's approved AS9100/ISO 9001 Quality Management System. United Performance Metals has complied with all distributor requirements of AS6279. All Testing, Inspection and other essential supporting documents are retained on file. This material is free from weld repair and has not come in contact with Mercury or low melting point alloys during storage or processing at UPM. UPM acknowledges the recording of false, fictitious, and fraudulent statements or data entries on documents is punishable as a felony under US Federal and International statutes and laws. The certificate data that UPM provides are documents obtained from the producing mill and/or laboratory which represents the data in whole as supplied to UPM. UPM does not alter any material certification data in any manner. The product being furnished is genuine, new, unused and is not defective, suspect, or counterfeit unless otherwise specified in writing herein, is suitable for the intended purpose, has not been provided under false pretenses and has not been materially altered, damaged, deteriorated, or degraded. Please direct quality related inquiries to the Quality Department in which the material has shipped from.

  
Michael McCord Director of Quality

  
Philip Elias  
Quality Manager

  
Dan Tuttle  
Quality Lead



Quality Solutions. Trusted Partners.

Warehouse Copy

4/28/2022 09:18 AM  2

United Performance Metals

*Paul Isaacs*  
Paul Isaacs  
Quality Associate

Customer Name: Moeller Mfg. & Supply, Inc.  
Customer PO: 1175458  
UPM Sales Order: 824017  
Date: 4/28/2022  
Description/Form: STAINLESS 304L - COIL  
Heat Number: T11R Ingot: 04T11R-A

Width: 3.0000 Length: 0.0000  
Size: .0320  
Customer P/N: M-300S-S-0.032X3.000-0  
Packing List Number: 208599-1  
Quantity: 5915 LB 16 pc.



NORTH AMERICAN  
STAINLESS

# METALLURGICAL TEST REPORT

6870 Highway 42 East  
Ghent, KY 41045-9615  
(502) 347-6000

Certificate: 772074 01  
Material: 0305 144  
Mail To:  
PHOENIX METALS COMPANY  
C/O UNITED PERFORMANCE COMPANY  
3475 STOKES ROAD  
HAMILTON, OH 45015

Ship To:  
PHOENIX METALS COMPANY  
C/O UNITED PERFORMANCE COMPANY  
3475 STOKES ROAD  
HAMILTON, OH 45015

Date: 4/09/2022 Page: 1  
Steel: 302/304/304L  
Finish: 2B

Sur Order: 703287

NAS Order: AN 0979417 01

Corrosion: ASTM A262/15, 1908ad-OK

## PRODUCT DESCRIPTION:

'S COIL, C.R. ANNEALED & PICKLED; UNS 30400/30403/30200  
FIN A240/20a, A480/20a, A566/15; ASME SA240/19, SA480/19, SA566/19  
ITEM ONLY ON FOLLOWING ASTM: A276/17, A479/20, A484/20b, A312/21  
ITEM ONLY ON FOLLOWING ASME: SA312/19, SA479/19  
AS 5511R/5513J/5516P K00K; MIL-8-5059D AND 3(X CHN MEAS); MIL-4043B  
ICE MR0175/ISO 15156-3:2015 A, MR0103/07; Q08766D-A X MAG PERM  
IN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

## REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.  
EN 10204:2004 3.1; ENES 1, 2 & 3 Compliant  
Material is Free of Radioactive Contamination  
Steel Making Process: EAF, AOD, & Cont. Casting  
Product Mfg. by a Quality Mgt. Sys. in Conf. w/ISO 9001  
\*Melted & Manufactured in the USA; Mat'l is SPARS Compliant

Product ID #	Coil #	Thickness	Width	Weight	Length	Mark	Pieces	COMMODITY CODE
04T11R A	* 04T11R A	.0320	48.0000	18.115	COIL	3389.0	1	1 2951842

ANAB, ISO/IEC 17025, Certificate# L2323

CHEMICAL ANALYSIS CH(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan) Chemical Analysis per ASTM A751/20

HEAT	CH	C %	CR %	CU %	KN %	MO %	N %	NI %	P %	S %
T11R	US	.0180	18.1135	.4425	1.7575	.4110	.0811	8.0760	.0325	.0011
SI %										
.2920										

## MECHANICAL PROPERTIES

Product ID #	Coil #	1/2" UTS	20C .2% YS	20C ELONG	% Hard
04T11R A	04T11R A	F T 98.42	51.51	50.07	84.50



UPMQC  
Reviewed/Approved by QC  
Reviewed Specification(s):  
ALL  
Checked by: *Eve with*  
Pages: 2 Date: 4/12/2022

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical  
Dept. Mgr.

KRIS LARK

4/09/2022

United Performance Metals

*Paul Isaacs*  
Paul Isaacs  
Quality Associate

Customer Name: Moeller Mfg. & Supply, Inc.  
Customer PO: 1175458  
UPM Sales Order: 824017  
Date: 4/28/2022  
Description/Form: STAINLESS 304L - COIL  
Heat Number: T11R Ingot: 04T11R-A

Width: 3.0000 Length: 0.0000  
Size: .0320  
Customer P/N: M-300S-S-0.032X3.000-0  
Packing List Number: 208599-1  
Quantity: 5915 LB 16 pc.



# METALLURGICAL TEST REPORT

6870 Highway 42 East  
Ghent, KY 41045-9615  
(502) 347-6000

Certificate: 772074 01 Mail To:  
Customer: 0305 144  
FROENIX METALS COMPANY  
C/O UNITED PERFORMANCE COMPANY  
3475 STICKES ROAD  
HAMILTON, OH 45015

Ship To:  
FROENIX METALS COMPANY  
C/O UNITED PERFORMANCE COMPANY  
3475 STICKES ROAD  
HAMILTON, OH 45015

Date: 4/09/2022 Page: 2

Steel: 302/304/304L

Finish: 2B

Our Order: 703287

NAS Order: AN 0979417 01

Corrosion: ASTM A262/15;180Bend-OK

## PRODUCT DESCRIPTION:

1/8 COIL, C.R. ANNEALED & PICKLED; UNS 30400/30403/30200  
STM A240/20a, A480/20a, A666/15; ASME SA240/19, SA480/19, SA666/19  
ITEM ONLY ON FOLLOWING ASTM: A276/17, A479/20, A494/20b, A312/21  
ITEM ONLY ON FOLLOWING ASME: SA312/19, SA479/19  
AS 5511R/5513J/5516P MARK; MIL-S-5059D AND 3(X CRN MEAS); MIL-4043B  
ACE NRO175/ISO 15156-3:2015 A, NRO103/07; Q98766D-A X HAS PERM  
IN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

## REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.  
EN 10204:2004 3.1; RoHS 1, 2 & 3 Compliant  
Material is Free of Radioactive Contamination  
Steel Making Process: EAF, AOD, & Cont. Casting  
Product Mfg. by a Quality Mgt. Sys. in Conf. w/ISO 9001  
\*Melted & Manufactured in the USA; Mat'l is DPARS Compliant

Product ID #	Coil #	Thickness	Width	Weight	Length	Mark	Pieces	COMMODITY CODE
04T11R C	* 04T11R C	.0320	48.0000	16,550	COIL	3096.2	3	1 2961842

ANAB, ISO/IEC 17025, Certificate# L2323

CHEMICAL ANALYSIS CH(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan) Chemical Analysis per ASTM A751/20

HEAT	CH	C %	CR %	CU %	MN %	MO %	N %	NI %	P %	S %
T11R	US	.0180	18.1135	.4425	1.7575	.4110	.0811	9.0760	.0325	.0011
SI %										
.2920										

## MECHANICAL PROPERTIES

		1 8				
Product ID #	Coil #	UTS	20C .2% YS	20C ELONG	% Hard	
		ksi	ksi	%-2"	RB	
04T11R C	04T11R C	F T	98.42	51.51	50.07	84.50

MMS  
8



NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical  
Dept. Mgr.

*Kris Lark*  
KRIS LARK 4/09/2022