



INV:KKE8AH

Boeing Distribution Services Inc.

Tel: +1.305.925.2600 Fax: +1.305.507.7191 www.BoeingDistribution.com
Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001
Wire Instructions: Boeing Distribution Services INC. JPMorgan Chase Bank New York
ABA: 021000021 Account: 304639273 SWIFT: CHASUS33 CHIP UID: 0002

Table with PickTkt Number and HJ8T76.102

Sold To:

001616
BARMIL LTD
69 GISSIN ST
POB 10215
KIRYAT-AIRIE PETACH-TIKVA, 49130
Israel



Ship To:

C/O ALISON TRANSPORT C/O PAI TRUCKING
145-45 156TH STREET
972-39-240-196
JAMAICA,NY 11434
United States

Main table with columns: Order No, Date, Ship Via, Terms, Shipping Terms, Item No, Quantity Ordered, Part Number and Description, Unit, Shipped. Includes detailed part information for WASHER.

MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY BOEING DISTRIBUTION SERVICES INC.

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE

SHIPPED FROM: 3760 W. 108TH ST DOOR B, MIAMI, FL 33018

MATERIAL CERTIFICATION : BOEING DISTRIBUTION SERVICES INC. WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS.

PACKING SLIP

Tracie Davis (Signature)

Tracie Davis
Supply Chain Quality Senior Manager

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS PACKING SLIP, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:

https://www.boeingdistribution.com/aero/conditions-sale/





INV:KKE8AH

Boeing Distribution Services Inc.

Tel: +1.305.925.2600 Fax: +1.305.507.7191 www.BoeingDistribution.com
Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001
Wire Instructions: Boeing Distribution Services INC. JPMorgan Chase Bank New York
ABA: 021000021 Account: 304639273 SWIFT: CHASUS33 CHIP UID: 0002

Table with 2 rows: PickTkt Number, HJ8T76.102

Sold To:



Ship To:

001616
BARMIL LTD
69 GISSIN ST
POB 10215
KIRYAT-AIRIE PETACH-TIKVA, 49130
Israel

C/O ALISON TRANSPORT C/O PAI TRUCKING
145-45 156TH STREET
972-39-240-196
JAMAICA,NY 11434
United States

Table with columns: Order No, Date, Ship Via, Terms, Shipping Terms, Item No, Quantity Ordered, Part Number and Description, Unit, Shipped. Includes a large text block with a signature and a barcode.

MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY BOEING DISTRIBUTION SERVICES INC.

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE

SHIPPED FROM: 3760 W. 108TH ST DOOR B, MIAMI, FL 33018

MATERIAL CERTIFICATION : BOEING DISTRIBUTION SERVICES INC. WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS.

PACKING SLIP

Tracie Davis (Signature)

Tracie Davis
Supply Chain Quality Senior Manager

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS PACKING SLIP,BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:

https://www.boeingdistribution.com/aero/conditions-sale/





Boeing Distribution Services Inc.

P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191
Plant Location: 3760 W. 108th Street, Miami, FL 33018 • SITA: MIAMMCR
www.BoeingDistribution.com

Shipped From: 3760 W. 108TH ST DOOR B, MIAMI, FL 33018

Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to Boeing Distribution Services.

FIRM: BARMIL LTD

PURCHASE ORDER#: 230221

LIN#	QUANTITY	U/M	PART-NUMBER	CUST REF#	LOT-NUMBER	MANUFACTURER	CCODE REV	Eff Date	EXP DATE
2	2500	EA	NAS1149C0532R						
			QTY: 1250		1207841	MOELLER MANUFACTURIN	58009 7		
			BDSI CTRL/LOT # :2022LMRW7X						
			QTY: 1250		1233626	MOELLER MANUFACTURIN	58009 7		
			BDSI CTRL/LOT # :2023AMS09K						



Tracie Davis
Supply Chain Quality Senior Manager

03/08/23

Inv #KKK8AH 03/08/23

510 (B)



630 E. LAMBERT ROAD / BREA, CA 92821 / (714)999-5551

Certificate of Conformance

**PACKING LIST
SHIPPER
2266813**

No. Cartons:	7
Weight:	193.82
Customer No:	201555
Our Order:	1833663 SO
Date Order:	mc 1/8/23 6/28/2022
Customer P.O. No:	00RMK52 00RMK52
Ship Via:	Fed Ex Ground CB

Bill To:
 BOEING DISTRIBUTION SERVICES
 3760 W 108TH ST.
 MIAMI FL 33018
 USA

Ship To:
 BOEING DISTRIBUTION SERVICES
 3760 W 108TH ST DOOR B
 MIAMI FL 33018
 USA


 n/c

Shipping Instructions: FOB: Free On Board - Origin Total Quantity Shipped: 127215

Line	Quantity Order	Item Number	Description	Requested Date Promised Ship Date	Quantity Shipped
1.100	127215	MWF07081-SP	NAS1149C0532R .562+.020-.005 .328±.010 REV: 7 Lot: 1233626 AN980C518L Seller hereby acknowledges that the parts and/or materials being shipped under this order are intended for use under Boeing's Federal Aviation Administration (FAA) Issued Production Certificate 700 and no articles (or constituent parts thereof) or the accompanying paperwork (e.g., packages, shippers, etc.) contain any Federal Aviation Administration-Parts Manufacturer Approval (FAA-PMA) markings. FULL CERTS DFAR 252.225-7009 <p style="text-align: center;">MAGNETIC PERMEABILITY LESS THAN 2.0 PER ASTM A342</p>	1/3/2023 1/5/2023	127215

FED X GROUND 633948178
 OVER 150 LBS SHIP FED X FREIGHT ECONOMY 693788919
 DO NOT INSURE

We Hereby certify the referenced order(s) conform to the requirements of the applicable drawings, standards and specifications. Evidence of compliance is retained on file.


 Wayne Drysol
 Q.A. Director
 MANUFACTURED IN U.S.A.



630 E. Lambert Road, Brea, CA 92821


CERTIFICATE OF CONFORMANCE

Lot Number:	1233626
Moeller Part Number:	MwF07081-5P
Customer Part Number:	NAS1149C0532R
Revision:	7
Lot Quantity:	127215

QC
9
12/2

The following material or process was used by Moeller Manufacturing and Supply, LLC or our subcontractors in the manufacture of the parts.

Outside Process	PO Number
Material:	123772
Finish:	1205648




UNITED
PERFORMANCE METALS
AN ONI COMPANY

Packing List

Packing List
Shipment Dt

219930-1
9/16/2022



Ship-To
Moeller Mfg. & Supply, Inc.
1409 E Orangethorpe Ave
Fullerton, CA 92831

Issued from

United Performance Metals, Ohio Facility
3475 Symmes Road
Hamilton, OH 45015-1963

Sold-To
Moeller Mfg. & Supply, Inc.
630 E Lambert Road
Brea, CA 92821

Lot# 123772

Divy Mthd	Our Carrier	To	Vehicle No
Carrier	Non Stop Transportation, Inc.	Ref	Trailer No
Item	Product	Part No	M-300S-S-0.032X3.000-0
Our Order	Your PO	1187549 (9/13/2022)	
	Delivery	Prepaid	
1-1	Part M-300S-S-0.032X3.000-0		
	STAINLESS 302/304- COIL #3 Edge		
	0.0320" Nom x 3"		

AMS 5513 Rev.K
AMS 5516 rev. F

Location	Mill	Heat	Tag	Lift	Pcs	LBS
LAFLOOR	N.A. STAINLESS	V29T	69352B	PPA-548642	3	1,591
LAFLOOR	N.A. STAINLESS	V29T	69352E	PPA-548645	3	1,585
Total					6	3,176

Shp MI 1 0
Certificate Mill Cert

Total Packages for the Shipment			Gross	Tare	Net(LBS)
Package Type: STANDARD PALLET (PPA-548642)			1,622	31	1,591
STANDARD PALLET (PPA-548645)			1,614	29	1,585
			3,236	60	3,176

☑ Taken-by Slip Kyle Lunsford ☎ (513) 860-6500

For EXPORT shipments, UNITED PERFORMANCE METALS utilizes packaging materials, including finished pallets, skids, and boxes that are fabricated in accordance with the guidelines set forth by the International Lumber Committees ISPM 15, which is the standard that regulates wood packaging used in international trade. All lumber used in United Performance Metals export packaging has been heat treated per the ISPM 15 standard.

Each of our sources of supply for our packaging products used for export have supplied us with a signed letter stating conformance to the International Lumber Committee ISPM 15 requirements. These conformance letters are retained on file at United Performance Metals and are also accessible on our website at www.upmet.com. If further assistance is needed in regards to certification of our packaging per ISPM 15, please contact our Traffic Department or Compliance Manager at 513-860-6500.

Our sources of supply are monitored as required by per the ISPM 15 regulation. United Performance Metals monitors the regulation for any changes in regulations and will inform customers of any changes that would impact conformance.





UNITED
PERFORMANCE METALS
 AN ONI COMPANY

Packing List

Packing List
 Shipment Dt

218930-1
 9/16/2022

Certificate of Conformance and Authenticity

United Performance Metals (UPM) hereby declares and certifies barring previously approved exceptions, reservations, exemptions, or as detailed within this document, that the product supplied regarding the referenced purchase order conforms and complies with stated as-ordered purchase order requirements inclusive of any and all drawings, specifications, regulatory and statutory requirements.

Material is traceable to Heat/Lot number and grain direction orientation (if requirement specified) through receipt from production through delivery to purchaser. The product has been processed within the scope of UPM's approved AS9100/ISO 9001 Quality Management System. United Performance Metals has complied with all distributor requirements of AS6279. ST Gauge has not been altered.

All Testing, inspection and other essential supporting documents are retained on file.

This material is free from weld repair and has not come in contact with Mercury or low melting point alloys during storage or processing at UPM.


UPM acknowledges the recording of false, fictitious, and fraudulent statements or data entries on documents is punishable as a felony under US Federal and International statutes and laws. The certificate data that UPM provides are documents obtained from the producing mill and/or laboratory which represents the data in whole as supplied to UPM. UPM does not alter any material certification data in any manner.

The product being furnished is genuine, new, unused and is not defective, suspect, or counterfeit unless otherwise specified in writing herein, is suitable for the intended purpose, has not been provided under false pretenses and has not been materially altered, damaged, deteriorated, or degraded.

Please direct quality related inquiries to the Quality Department in which the material has shipped from.


 Michael McCord Director of Quality


 Wally Blake
 Quality Manager


 Dan Tuttle
 Quality Lead



United Performance Metals

Customer Name: Moeller Mfg. & Supply, Inc.
Customer PO: 1187549
UPM Sales Order: 838425
Date: 9/16/2022
Description/Form: STAINLESS 304L - COIL
Heat Number: V29T Ingot: 03V29TA

Width: 3.0000 Length: 0.0000
Size: .0320
Customer P/N: M-300S-S-0.032X3.000-0
Packing List Number: 219930-1
Quantity: 3176 LB 6 pc.

Paul Isaacs
Paul Isaacs
Quality Associate

integritystainless
3000 CRANE CENTER DRIVE
STREETSBORO, OH 44241 USA
PHONE: 440-287-0150

METALLURGICAL TEST REPORT

>>>>> CERTIFICATE OF ANALYSIS AND TESTS <<<<<<

Sold To: UNITED PERFORMANCE
3475 SYMMES ROAD
HAMILTON, OH 45015

Ship To: UNITED PERFORMANCE
3475 SYMMES ROAD
HAMILTON, OH 45015

Sales Order: 717151 - 01 B/L No: 1176148 Release: 2 Date: 18-Jul-2022
Reference: STARKS, ALLISON 2nd B/L: Cus Ord #: CIN-44497-P17
Cus Name: UNITED PERFORMANCE

Description of Material and Specification
Stainless Coil 2B A240/304L TAG#: 30219117,30224265
.032" x 48" x 20" ID HEAT#: V29T/NORTH AMERICAN STAINLESS
MC # 30219117,30224265
MS # 03V29T A,03V29T B

Chem Elem Symbol / Elem Content Value:
<C : .0224> <MN : 1.738> <P : .0315> <S : .0032> <SI : .3475> <CU : .4455> <NI : 8.1515> <CR : 18.3605> <MO : .3945> <N : .0782>

YIELD STRENGTH	MIN:	49100	PSI	MAX	49130	PSI
TENSILE STRENGTH	MIN:	86500	PSI	MAX	86780	PSI
ELONGATION 2"	MIN:	50.85	%	MAX	50.86	%
ROCKWELL B	MIN:	81	TSS	MAX	82.5	TSS



We hereby certify the above is correct as contained in the records of the corporation

Robert D. ...
Branch Certification Manager

United Performance Metals

Customer Name: Moeller Mfg. & Supply, Inc.
Customer PO: 1187549
UPM Sales Order: 838425
Date: 8/16/2022
Description/Form: STAINLESS 304L - COIL
Heat Number: V2BT Ingot: 03V29TA

Width: 3.0000 Length: 0.0000
Size: .0320
Customer P/N: M-300S-S-0.032X3.000-0
Packing List Number: 219930-1
Quantity: 3176 LB 6 pc.

Paul Isaacs
Paul Isaacs
Quality Associate



METALLURGICAL TEST REPORT

6870 Highway 42 East
Ghent, KY 41045-9615
(502) 347-6000

Certificate: 793423 02	Mail To:	Ship To:	Date: 7/13/2022	Page: 1
Customer: 1310 034	GENERIC STEEL C/O INTEGRITY STAINLESS 3000 CRANE CENTER DRIVE STEUBENBURG, OH 44241	GENERIC STEEL C/O INTEGRITY STAINLESS 3000 CRANE CENTER DRIVE STEUBENBURG, OH 44241	Steel: 302/304/304L	
Your Order: 757634	NAS Order: AN 0987954 01	Corrosion: ASTM A262/15;1608end-GI	Finish: 2B	

PRODUCT DESCRIPTION:

8/S COIL, C.H. ANNEALED & PICKLED; UNS 30400/30403/30200
ASTM A240/20a, A480/20a, A566/15; ASME SA240/19, SA480/19, SA666/19
CHEM ONLY ON FOLLOWING ASTM: A276/17, A479/20, A494/20b, A312/21
CHEM ONLY ON FOLLOWING ASTM: SA312/19, SA479/19
MS 5511K/5513J/5516P MARK; MIL-3-5059D AMS3 (X CHN KEAS); MIL-4043B
WASH MS0175/ISO 15196-3:2015 A, MS0103/07; Q00766D-A X WAS FROM
MIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.
EN 10204:2004 3.1; EN88 1, 2 & 3 Compliant
Material is Free of Radioactive Contamination
Steel Making Process: EAF, AOD, & Cont. Casting
Product Mfg. by a Quality Mgt. Sys. in Conf. w/ISO 9001

Product ID #	Coil #	Thickness	Width	Weight	Length	Mark	Pieces	COMMODITY CODE
03V29T B	03V29T B	.0321	49.0000	27.030	COIL	5056.8	5	1 240/302/304/304L

MSAS, ISO/IEC 17025, Certificate# L2323

CHEMICAL ANALYSIS

HEAT	CH	C %	CR %	CU %	NI %	NO %	N %	SI %	P %	S %
V29T	08	.0224	18.3605	.4455	1.7360	.3945	.0792	8.1515	.0315	.0032
		SI %								
		.3475								

MECHANICAL PROPERTIES

Product ID #	Coil #	UTS	20C .2% YS	20C RICHG	Hard	
		ksi	ksi	1/2"	HB	
03V29T B	03V29T B	FT	96.50	49.10	50.96	81.00



NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical Dept. Mgr.

Kris Lark
KRIS LARK 7/14/2022

